| Ref | Hits | Search Query | DBs | Default | | Plurals |
|-----|------|---|-----------------|--------------------|-----------------------|------------|
| * | | | | | Operator | Operation |
| | | @pd<"19990815" and (router with (document or packet) and (threshold with compare) and (automatic or manual) | US-PGI USPAT | US-PGPUB; USPAT | GPUB; OR | |
| 2 | 34 | @pd<"19990815" and classification.ab. and feature and train\$ and (knowledgebase or "knowledge base" or database or "data base") and rout\$ | US-PGF USPAT | US-PGPUB; USPAT | PGPUB; OR | |
| ᄄ | 25 | @pd<"19990815" and document.ab. and classification.ab. | US-PGF USPAT | US-PGPUB; USPAT | PGPUB; OR | |
| 4 | ω | @pd<"19990815" and document.ab. and classification.ab. and ("neural network" or "neural networks") | 5 5 | US-PGPUB; USPAT | S-PGPUB; OR SPAT | ÿB; |
| 22 | 0 | 706/20.ccls. and @pd<"19990815" and document.ab. and classification.ab. | \subseteq | US-PGPUB; USPAT | S-PGPUB; OR SPAT | JB; |
| | ω | 706/20.ccls. and @pd<"19990815" and document.ab. | _ | US-PGPUB; USPAT | IS-PGPUB; OR ISPAT | JB; |
| ۲7 | 297 | 706/20.ccls. and @pd<"19990815" | | US-PGPUB; USPAT | US-PGPUB; OR USPAT | -: |
| 8 | 40 | 706/20.ccls. and @pd<"19990815" and classification.ab. | | US-PGPUB; USPAT | US-PGPUB; OR USPAT | |
| 6 | 0 | 706/18.ccls. and @pd<"19990815" and classification.ab. | | US-PGPUB; USPAT | US-PGPUB; OR USPAT | B; |
| L10 | 34 | 706/18.ccls. and @pd<"19990815" | | US-PGPUB; USPAT | US-PGPUB; OR USPAT | JUB; |
| [11 | 49 | 706/28.ccls. and @pd<"19990815" | | US-PGPUB; USPAT | US-PGPUB; OR USPAT | JB; |
| L12 | 71 | 706/34.ccls. and @pd<"19990815" | | US-PGPUB; USPAT | US-PGPUB; OR USPAT | ÿB; —— |
| L13 | 32 | 706/42.ccls. and @pd<"19990815" | | US-PGPUB; USPAT | US-PGPUB; OR USPAT | ,and |
| L14 | 215 | 18 or 110 or 111 or 112 or 113 | | US-PGPUB; USPAT | US-PGPUB; OR USPAT | W W |
| S1 | 0 | @pd<"19990815" and document.ab. and clasification.ab. | | US-PGPUB; USPAT | US-PGPUB; OR USPAT | ;anc |

10/11/2006 2:33:01 PM C:\Documents and Settings\pcoughlan\My Documents\EAST\Workspaces\10049627.wsp

| S17 | S16 | S15 | S14 | S13 | S12 | S11 | S10 | S9 | S7 | S6 | S 5 | S4 | S3 | S2 |
|--|---|--|--|---------------------------|--|---------------------------|--------------------|--|--|--|---|----------------------------|--------------------|--|
| P | 0 | L | 0 | <u> </u> | H | – | 1752 | ω | ш | ω | ω | Сī | 13 | 25 |
| "5251131".pn. and ((switch\$ or chang\$)) | "5251131".pn. and ((switch\$ or chang\$) with mode\$) | "5251131".pn. and (feature\$ with add\$) | "5251131".pn. and (feature with added) | "5251131".pn. and train\$ | "5251131".pn. and (feature with (extract\$ or module)) | "5251131".pn. and feature | coughlan | <pre>@pd<"19990815" and classification.ab. and feature and train\$ and (knowledgebase or "knowledge base" or database or "data base") and rout\$ and (compare with threshold)</pre> | S2 and feature and train\$ and (knowledgebase or "knowledge base" or database or "data base") and rout\$ and destination | S2 and feature and train\$ and (knowledgebase or "knowledge base" or database or "data base") and rout\$ | S2 and feature and train\$ and (knowledgebase or "knowledge base" or database or "data base") | S2 and feature and train\$ | S2 and feature | @pd<"19990815" and document.ab. and classification.ab. |
| US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT |
| ᄋᄋᆔ | R | OR. | Q. | QR | Q. | Q _R | O _R | O _R | Q. | Q. | Q. | OR | Q _R | Q _R |
| 9 | 9 N | ON. | Q Q | - Q | S S | Q Q | S S | ON | Q Q | O _N | Q N | O _N | Q N | OFF |
| 2006/10/03 13:53 | 2006/10/03 13:52 | 2006/10/03 13:51 | 2006/10/03 13:40 | 2006/10/03 13:40 | 2006/10/03 13:39 | 2006/10/03 13:35 | 2006/10/03 13:35 | 2006/10/03 14:49 | 2006/10/03 12:53 | 2006/10/03 13:18 | 2006/10/03 12:53 | 2006/10/03 12:52 | 2006/10/03 12:51 | 2006/10/03 12:50 |

| 2006/10/03 14:44 | ON. | OR | US-PGPUB; USPAT | 1 "5251131".pn. and (threshold) | | S33 |
|------------------|----------------|----------------|--------------------|--|--|------------|
| 2006/10/03 14:38 | Q N | Q. | US-PGPUB; USPAT | 1 "5251131".pn. and (begin\$ same training) | | S32 |
| 2006/10/03 14:37 | O _N | Q _R | US-PGPUB; USPAT | 0 "5251131".pn. and (brgin\$ same training) | ······································ | S31 |
| 2006/10/03 14:37 | O _N | OR | US-PGPUB; USPAT | 0 "5251131".pn. and (start same training) | | S30 |
| 2006/10/03 14:32 | ON | OR. | US-PGPUB; USPAT | 1 "5251131".pn. and training | | S29 |
| 2006/10/03 14:36 | O _N | OR | US-PGPUB; USPAT | 1 "5251131".pn. and fly | | S28 |
| 2006/10/03 14:31 | O _N | OR | US-PGPUB; USPAT | 1 "5251131".pn. and generated | | S27 |
| 2006/10/03 14:27 | Q Q | OR | US-PGPUB; USPAT | 1 "5251131".pn. and (knowledgebase or "knowledge base" or database or "data base") | | S26 |
| 2006/10/03 14:22 | O _N | Q _R | US-PGPUB; USPAT | 1 "5251131".pn. and (train\$) and classify\$ | | S25 |
| 2006/10/03 14:21 | Q Q | Q _R | US-PGPUB; USPAT | 0 "5251131".pn. and (train\$ same mode) | | S24 |
| 2006/10/03 14:20 | O _N | OR | US-PGPUB; USPAT | 0 "5251131".pn. and (train\$ same classfy\$) | | S23 |
| 2006/10/03 14:20 | O N | OR | US-PGPUB; USPAT | 0 "5251131".pn. and (train\$ with classfy\$) | | S22 |
| 2006/10/03 14:20 | Q N | OR | US-PGPUB; USPAT | 1 "5251131".pn. and ("method") | | S21 |
| 2006/10/03 14:02 | O _N | Q _R | US-PGPUB; USPAT | 0 "5251131".pn. and ("the fly") | | S20 |
| 2006/10/03 14:01 | ON | Q _R | US-PGPUB; USPAT | 0 "5251131".pn. and ("on the fly") | | S19 |
| 2006/10/03 14:01 | Q Q | <u></u> | US-PGPUB; USPAT | 1 "5251131".pn. and (class\$ with train\$) | | S18 |
| | | | | | | |

Page 3

| S49 | S48 | S47 | S46 | S45 | S44 | S43 | S42 | S41 | S40 | S39 | S38 | S37 | S36 | S35 | S34 |
|---|--|----------------------------|-------------------------------|--------------------|--|--------------------------|--|---|--|---|---|--|---|---|--------------------------|
| 1046 | 0 | Ь | 0 | 36 | 42 | щ | Н | 0 | ω | | 0 | ъ | 2 | 0 | ь |
| @pd<"19990815" and ("neural network" or "neural networks") and classification | @pd<"19990815" and ((e-mail or "e mail") with routing) with neural | S44 and features and train | S44 and features and training | S44 and features | @pd<"19990815" and ((e-mail or "e mail") with routing) | "5251131".pn. and output | $@pd\<"19990815"$ and (router with (document or packet)) and (threshold with compare) and (automatic or manual) | "5936939".pn. and (adjustable with threshold) and (automatic or manual) | @pd<"19990815" and ((router with (automatic or manual)) and (threshold with compare)) $\label{eq:pd}$ | "5936939".pn. and (adjustable with threshold) | "5251131".pn. and (threshold same adjust\$) | @pd<"19990815" and ((router with threshold) and (threshold with compare)) | @pd<"19990815" and ((router with threshold) with compare) | "5251131".pn. and (rout\$ same threshold) | "5251131".pn. and rout\$ |
| US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT |
| OR | Q _R | R | 유 | Я Я | 유 | Я. | Я Я | Q _R | ₽ R | Q _R | Q _R | Я Я | Q. | Q _R | OR. |
| Q. | S S | <u>N</u> | 9 | 9 | 9 | Q N | Q. | 9 N | . 9 | ON. | 9 | 9 | ON. | 9 | ON |
| 2006/10/03 16:24 | 2006/10/03 16:22 | 2006/10/03 15:56 | ·2006/10/03 15:56 | 2006/10/03 15:56 | 2006/10/03 15:57 | 2006/10/03 15:45 | 2006/10/03 15:45 | 2006/10/03 15:20 | 2006/10/03 15:18 | 2006/10/03 15:19 | 2006/10/03 15:15 | 2006/10/03 15:51 | 2006/10/03 14:50 | 2006/10/03 14:45 | 2006/10/03 15:15 |

10/11/2006 2:33:01 PM C:\Documents and Settings\pcoughlan\My Documents\EAST\Workspaces\10049627.wsp

$10/11/2006\ 2:33:01\ PM\\ C:\Documents\ and\ Settings\pcoughlan\My\ Documents\EAST\Workspaces\10049627.wsp$

| ON 2006/10/03 16:57 ON 2006/10/03 16:58 ON 2006/10/03 16:59 ON 2006/10/03 17:29 ON 2006/10/03 17:06 ON 2006/10/03 17:08 | | IIS-PGPIR | 0 "5933490" pn. and vector | 0 | S64 |
|---|----------------|--------------------|---|----------|-----|
| | Я Я | US-PGPUB; USPAT | 0 "5251131".pn. and (Feature with input) | 0 | S63 |
| | Я | US-PGPUB; USPAT | 1 "5251131".pn. and Feature | – | S62 |
| | 웃 | US-PGPUB; USPAT | 0 "5251131".pn. and vector | 0 | S61 |
| | 웃 | US-PGPUB; USPAT | 0 @pd<"19990815" and "manual routing" and ("administrator" same manual) | 0 | S60 |
| | Ş | US-PGPUB; USPAT | 0 @pd<"19990815" and "manual routing" and ("system administrator" same manual) | 0 | S59 |
| | 유 | US-PGPUB; USPAT | 13 @pd<"19990815" and "manual routing" | 43 | S58 |
| | S | US-PGPUB; USPAT | 6 @pd<"19990815" and ("neural network" or "neural networks") and classification and (weights with adjustable) and (document or "web page") | <u></u> | S57 |
| ON 2006/10/11 13:40 | Q. | US-PGPUB; USPAT | 6 @pd<"19990815" and ("neural network" or "neural networks") and classification and (weights with adjustable) and document | , თ | S56 |
| ON 2006/10/03 16:46 | Я Я | US-PGPUB; USPAT | 1 "6104500".pn. and operator | <u>ы</u> | S55 |
| ON 2006/10/03 16:52 | 유 | US-PGPUB; USPAT | @pd<"19990815" and ("neural network" or "neural networks") and classification and (weights with adjustable) and (features with input) | 12 | S54 |
| ON 2006/10/03 16:34 | Я Я | US-PGPUB; USPAT | 1 "5802507".pn. and "input vector" | μ | S53 |
| ON 2006/10/03 16:34 | 웃 | US-PGPUB; USPAT | 0 "5802507".pn. and feature | 0 | S52 |
| ON 2006/10/03 16:30 | Q _R | US-PGPUB; USPAT | 7 @pd<"19990815" and ("neural network" or "neural networks") and classification and (weights with adjustable) and (document or e-mail or "e mail" or fax or mail or memo) | 7 | S51 |
| ON 2006/10/03 16:36 | Q _R | US-PGPUB; USPAT | @pd<"19990815" and ("neural network" or "neural networks") and classification and (weights with adjustable) | 34 | S50 |

| "6104500".pn. and vector | | | | | The state of the s | | The Person of the last of the |
|--|------------------|----------------|----------------|--------------------|--|-------------|---|
| 1 "6104500".pn. and vector 4 "6104500".pn. or "5251131".pn. or "5933490".pn. or "5371807".pn. US-PGPUB: OR USPAT 1 "6404500".pn. or "5251131".pn. or "5933490".pn. or "5371807".pn. US-PGPUB: OR ON USPAT 1 "9461488".pn. 1 "5461488".pn. 1 US-PGPUB: OR ON USPAT 1 "S-PGPUB: OR ON USPAT 2 [ppd<"19990815" and ("system administrator") with "below threshold") US-PGPUB: OR ON USPAT 2 [ppd<"19990815" and ("neural network" or "neural networks") and (classifs US-PGPUB: OR ON USPAT 2 [ppd<"19990815" and ("neural network" or "neural networks") and (classifs US-PGPUB: OR ON USPAT 3 [ppd<"19990815" and ("neural network" or "neural networks") and (classifs US-PGPUB: OR ON USPAT 3 [ppd<"19990815" and ("neural network" or "neural networks") and (classifs US-PGPUB: OR ON USPAT 4 [ppd<"19990815" and ("neural network" or "neural networks") and (classifs US-PGPUB: OR ON USPAT 5 [ppd<"19990815" and ("neural network" or "neural networks") and (classifs US-PGPUB: OR ON USPAT 6 [ppd<"19990815" and ("neural network" or "neural networks") and (classifs US-PGPUB: OR ON USPAT 7 [ppd<"19990815" and ("neural network" or "neural networks") and (classifs US-PGPUB: OR ON USPAT 8 [ppd<"19990815" and ("neural network") and (classifs US-PGPUB: OR ON USPAT 9 [ppd<"19990815" and ("neural networks") and (classifs US-PGPUB: OR ON USPAT 1 [ppd<"19990815" and ("neural networks") and (classifs US-PGPUB: OR ON USPAT 1 [ppd<"19990815" and ("neural networks") and (ppd<"19990815" and (ppd<" | 2006/10/10 16:03 | Q Q | O _R | US-PGPUB; USPAT | | <u>н</u> | S80 |
| "6104500",pn. and vector | 2006/10/10 15:48 | N N | Q. | US-PGPUB; USPAT | | 7 | S79 |
| 1 "6104500".pn. and vector 4 "6104500".pn. or "5251131".pn. or "5933490".pn. or "5371807".pn. US_PGPUB; OR ON USPAT 1 (SpAT) 2 (SpAT) 3 (SpAT) 2 (SpAT) 3 (SpAT) 3 (SpAT) 4 (SpAT) 5 (SpAT) 5 (SpAT) 5 (SpAT) 5 (SpAT) 6 (SpAT | 2006/10/10 15:41 | O _N | Q. | US-PGPUB; USPAT | | 1799 | 578 |
| 1 "6104500".pn. and vector 4 "6104500".pn. or "5251131".pn. or "5933490".pn. or "5371807".pn. US-PGPUB; OR ON USPAT 3 S66 and frequency 1 (@pd<"19990815" and ("system administrator" and misrouted) 11 "5461488".pn. 40 (@pd<"19990815" and (("system near3 administrator) with manual) 40 (@pd<"19990815" and (("system administrator") with manual) US-PGPUB; OR ON USPAT O (@pd<"19990815" and (("system administrator") with manual) US-PGPUB; OR ON USPAT O (@pd<"19990815" and (("system administrator") with manual) US-PGPUB; OR ON USPAT O (WS-PGPUB; OR ON U | 2006/10/10 15:40 | S S | OR. | US-PGPUB; USPAT | ····· | . 1341 | S77 |
| 1 "6104500".pn. and vector US-PGPUB; OR USPAT ON USPAT 4 "6104500".pn. or "5251131".pn. or "5933490".pn. or "5371807".pn. US-PGPUB; OR ON USPAT ON USPAT 3 S66 and frequency US-PGPUB; OR ON USPAT ON USPAT 1 @pd<"19990815" and ("system administrator" and misrouted) | 2006/10/10 15:40 | 9 | Q _R | US-PGPUB; USPAT | | 2198 | S76 |
| 1 "6104500".pn. and vector US-PGPUB; OR US-PGPUB; OR USPAT ON USPAT 4 "6104500".pn. or "5251131".pn. or "5933490".pn. or "5371807".pn. US-PGPUB; OR USPAT US-PGPUB; OR USPAT 1 @pd<"19990815" and ("system administrator" and misrouted) | 2006/10/10 15:40 | <u>Q</u> | Q _R | US-PGPUB; USPAT | | 3952 | S75 |
| 1 "6104500".pn. and vector US-PGPUB; OR USPAT ON USPAT 4 "6104500".pn. or "5251131".pn. or "5933490".pn. or "5371807".pn. US-PGPUB; OR ON USPAT ON USPAT 3 S66 and frequency US-PGPUB; OR ON USPAT US-PGPUB; OR ON USPAT ON USPAT 1 "5461488".pn. US-PGPUB; OR ON USPAT ON USPAT 40 @pd<"19990815" and (("system near3 administrator") with manual) | 2006/10/10 15:39 | Q N | Q _R | US-PGPUB; USPAT | | 21 | S74 |
| 1 "6104500".pn. and vector US-PGPUB; OR USPAT ON USPAT 4 "6104500".pn. or "5251131".pn. or "5933490".pn. or "5371807".pn. US-PGPUB; OR USPAT US-PGPUB; OR USPAT ON USPAT 1 @pd<"19990815" and ("system administrator" and misrouted) | 2006/10/10 15:37 | S S | Q. | US-PGPUB; USPAT | | 0 | 573 |
| 1 "6104500".pn. and vector 4 "6104500".pn. or "5251131".pn. or "5933490".pn. or "5371807".pn. US-PGPUB; OR ON USPAT 3 S66 and frequency 1 @pd<"19990815" and ("system administrator" and misrouted) US-PGPUB; OR ON USPAT 1 "5461488".pn. 40 @pd<"19990815" and ((system near3 administrator) with manual) US-PGPUB; OR ON USPAT ON USPAT ON ON USPAT | 2006/10/10 15:37 | . O | O _R | US-PGPUB; USPAT | | 0 | S72 |
| 1 "6104500".pn. and vector 4 "6104500".pn. or "5251131".pn. or "5933490".pn. or "5371807".pn. US-PGPUB; OR ON US-PGPUB; OR O | 2006/10/10 15:36 | 9 | O _R | US-PGPUB; USPAT | | 40 | S71 |
| 1 "6104500".pn. and vector US-PGPUB; US-PGPUB; USPAT ON 4 "6104500".pn. or "5251131".pn. or "5933490".pn. or "5371807".pn. US-PGPUB; US-PGPUB; OR US-PG | 2006/10/10 15:35 | 9 N | O _R | US-PGPUB; USPAT | | 40 | S70 |
| 1 "6104500".pn. and vector 4 "6104500".pn. or "5251131".pn. or "5933490".pn. or "5371807".pn. 3 S66 and frequency US-PGPUB; OR ON US-PGPUB; | 2006/10/03 17:34 | 9 | O _R | US-PGPUB; USPAT | | - | S69 |
| 1 "6104500".pn. and vector 4 "6104500".pn. or "5251131".pn. or "5933490".pn. or "5371807".pn. US-PGPUB; OR ON US-PGPUB; OR O | 2006/10/03 17:34 | Q N | Q _R | US-PGPUB; USPAT | | 1 —4 | S68 |
| 1 "6104500".pn. and vector US-PGPUB; OR ON USPAT 4 "6104500".pn. or "5251131".pn. or "5933490".pn. or "5371807".pn. US-PGPUB; OR ON USPAT | 2006/10/03 17:24 | N O | O _R | US-PGPUB; USPAT | | ω | S67 |
| 1 "6104500".pn. and vector US-PGPUB; OR ON USPAT | 2006/10/03 17:24 | O _N | OR | US-PGPUB; USPAT | | 4- | S66 |
| | 2006/10/03 17:23 | ON ON | OR. | US-PGPUB; USPAT | | ь | S65 |

| 596 | S95 | S94 | S93 , | S92 | S91 | S90 | S89 | S88 | S87 | S86 | S85 | S84 | S83 | S82 | S81 |
|---------------------------------------|---------------------------------------|---|--------------------|-------------------------------|--|--|---|---|----------------------------------|--------------------|------------------------------------|--------------------|--------------------|---|--|
| 0 | 0 | ъ | ч | 0 | 2 | 4 | | 0 | ω | ь | L | 2 | ω | ъ | 4 |
| S94 and (administrator same classify) | S94 and (administrator with classify) | "5251131".pn. or "5933490".pn. or "6104500".pn. or "5371807".pn. or "5479574".pn. | S82 and (mode) | S82 and (mode with threshold) | S82 and (output\$ with (confidence or relative or value)) | S82 and (result\$ with (confidence or relative or value)) | S82 and (result\$ with (confidence or relative)) | S82 and (output\$ with (confidence or relative)) | S82 and (confidence or relative) | S82 and batch | S82 and (train\$ same administr\$) | S82 and train\$ | S82 and administ\$ | "5251131".pn. or "5933490".pn. or "6104500".pn. or "5371807".pn. or "5479574".pn. | "5251131".pn. or "5933490".pn. or "6104500".pn. or "5371807".pn. or "547974".pn. |
| US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT |
| OR. | O _R | Q. | Q. | Я | Я Я | Q. | OR. | Q. | Q. | Q _R | Q. | 유 | Q. | Q. | OR |
| 9 | 9 | 9 | 9 | 9 | 9 | N N | 9 | N N | 9 N | 9 | 9 N | 9 N | N N | N N | ON |
| 2006/10/11 07:50 | 2006/10/11 07:50 | 2006/10/11 07:50 | 2006/10/11 07:50 | 2006/10/10 16:41 | 2006/10/10 16:41 | 2006/10/10 16:30 | 2006/10/10 16:29 | 2006/10/10 16:27 | 2006/10/10 16:26 | 2006/10/10 16:23 | 2006/10/10 16:14 | 2006/10/10 16:08 | 2006/10/10 16:08 | 2006/10/10 16:05 | 2006/10/10 16:05 |

10/11/2006 2:33:01 PM C:\Documents and Settings\pcoughlan\My Documents\EAST\Workspaces\10049627.wsp

| S10 | S10 8 | S10 7 | S10 14 | S10 1342 5 | S10 18039 4 | S10 | S10 2 | S10 | S10 0 | S99 | S98. | S97 |
|---------------------------------|--------------------------------|--|--|--|--|---|---------------------|------------------------|--------------------|-----------------------|----------------------------------|--|
| 1 "5777882".pn. and threshold | 0 "5777882".pn. and adjustab\$ | @pd<"19990815" and (threshold with above) and (threshold with below) and (classification or routing) and (administra\$ with below) and (threshold with adjustable) | 4 @pd<"19990815" and (threshold with above) and (threshold with below) and (classification or routing) and (administra\$ with below) | 2 @pd<"19990815" and (threshold with above) and (threshold with below) and (classification or routing) | 9 @pd<"19990815" and (threshold with above) and (threshold with below) | 4 S94 and (threshold with (above or below)) | S94 and (threshold) | 5 S94 and (associat\$) | 4 S94 and (error) | 1 S94 and (misrout\$) | 3 S94 and (learning or training) | 1 S94 and (administrator same classif\$) |
| US-PGPUB; | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT | US-PGPUB; USPAT |
| Q _R | 웃 | OR. | Q _R | Q. | 웃 | 유 | Q. | Q. | Q. | Q. | Q. | OR. |
| 9 | 9 | ON N | 9 | 9 | 9 | 9 N | 9 N | Q N | 9 | 9 | 9 | 9 |
| 2006/10/11 08:49 | 2006/10/11 08:49 | 2006/10/11 08:33 | 2006/10/11 08:48 | 2006/10/11 08:33 | 2006/10/11 08:32 | 2006/10/11 08:32 | 2006/10/11 08:29 | 2006/10/11 08:28 | 2006/10/11 08:05 | 2006/10/11 07:56 | 2006/10/11 07:53 | 2006/10/11 07:52 |